


Map to Convention Center

RES



Donald E. Stephens Convention Center
5555 N. River Road - Rosemont, IL 60018

FROM O'HARE:

East on the Kennedy Expressway to the River Road south exit.

FROM DOWNTOWN CHICAGO:

Northwest on the Kennedy Expressway to O'Hare Airport (190 west) Exit River Road, before reaching the airport. Turn right at River Road. The Convention Center is located 3 blocks south on the left.

FROM THE NORTH/NORTHWEST:

Take the Northwest Toll-Way (90) or the Tri-State Toll-Way (294) to the O'Hare exit, pay toll, proceed west a short distance to the Mannheim Road south exit. Exit Mannheim Road south and then immediately cloverleaf back down on 190 east to Chicago. Proceed east approximately one-half mile to the River Road south exit.

FROM THE SOUTH:

Take the Tri-State Toll-Way (294) to the O'Hare/River Road (190 west) exit, pay toll, exit left after the toll plaza to River Road. At the stop light, turn right on River Road. The Convention Center is located 3 blocks on the left.

AREA HOTELS:

- aloft Chicago O'Hare
- Chicago Marriott Suites O'Hare
- Chicago Westin O'Hare
- Crowne Plaza Chicago-O'Hare
- Doubletree Hotel O'Hare-Rosemont
- Embassy Suites Chicago - O'Hare/Rosemont
- Hampton Inn & Suites
- Hilton Rosemont Chicago O'Hare
- Holiday Inn Staybridge Suites Chicago-O'Hare/Rosemont
- Hyatt Place Chicago/O'Hare
- Hyatt Regency O'Hare
- Hyatt Centric
- La Quinta Inn & Suites
- Loews Chicago O'Hare
- Residence Inn by Marriott Chicago O'Hare
- Rose Hotel Chicago O'Hare
- Sheraton Suites Chicago O'Hare
- Sonesta Hotel Chicago - O'Hare/Rosemont
- The Westin O'Hare

Rosemont Public Safety Requirements

RES

PLANS

Exhibitors having pillars in their booths with a fire extinguisher on them are required to submit three (3) scaled floor plans of their exhibit to the Fire Department. Plans that are rejected will be sent back to the submitter for correction. Plans that are approved will also be sent back to the submitter and to the facility.

COMBUSTIBLES

Show Management shall advise all exhibitors that booths shall be cleared of combustible rubbish daily.

EXHIBIT BOOTHS

All draperies, back drops, booth partitions and table coverings shall be cleared of non-combustible or fire retardant materials.

ELECTRICAL

All wiring, hook ups, flood lights, etc., must meet Village code. If an extension cord is used on display equipment, it should be of adequate size, U.L. approved, be in operable condition, and three wire grounded. If in doubt of access availability for power needs, or when requiring more than normal power, check in advance with the show electrician.

NO STORAGE

No storage of any kind is allowed behind the backdrapes. All unwanted containers and refuse should be placed in the aisle directly in front of the exhibit for housekeeping to remove.

DISPLAY OF MOTOR VEHICLES

Any automobile, motorcycle, truck, boat or other equipment burning Class 1 fuel shall comply with the following requirements:

1. The fuel supply for 4-piston and under engines shall be none.
2. The fuel supply in larger than 4-piston engines shall be maximum of five gallons.
3. All motorcycles, all-terrain vehicles, snowmobiles and watercraft shall have no fuel.
4. Any battery or power source for the engine shall be disconnected.
5. No operation of any internal combustion engine will be allowed indoors unless approved in writing by the Fire Prevention Bureau. Vehicles in the building for unloading must be unloaded and removed from the building as soon as possible.
6. A \$200.00 mobile unit fee (outlined on the Material Handling form) will be charged to the exhibitor for each motor vehicle displayed

OPEN FLAMES & HEATING DEVICES

Where open flames or heating devices are being demonstrated or displayed, the Fire Department shall be notified beforehand and additional fire protection equipment may be required. Any quantities of flammable liquids that are kept on the premises must first be approved by the Fire Prevention Bureau and then be kept in appropriate safety cans.

EXPLOSIVES

No one shall be allowed to store, sell or bring any substance of an explosive nature such as fireworks or Class B or Class A explosives of any type into the building without approval from the Fire Prevention Bureau.

DRONES

For Safety reasons, the Donald E. Stephens Convention Center does not allow drones or other radio controlled flying devices to be operated within the facility at any time.

EMERGENCY EQUIPMENT

No extinguishers, sprinkler valves or hose connections shall be obstructed by booths, stands or any other items of exhibit.

CYLINDERS

Cylinders of compressed gases are prohibited unless approved by the Fire Prevention Bureau and shall be secured in an upright position.

ENTRANCE AND EXIT DOORS

All exits, hallways and aisles leading from the building are to be kept clear and unobstructed at all times. No curtains, drapes or decorations shall be hung in such a manner as to cover any exit signs. No exit door shall be locked, bolted or otherwise fastened or obstructed at any time when the exhibit building is open to the public. There shall be no obstruction blocking exit doors from the outside of any building, such as vehicles parked in doorways or barricades across sidewalks. No vehicles shall be parked in fire lanes outside of building.

SMOKING

Illinois State Law prohibits smoking within a public facility. Therefore, no smoking is permitted within the Donald E. Stephens Convention Center.

FOOD SERVICE

No food or beverage may be brought into the Convention Center from outside the facility. All food and beverage consumed on the premises must be provided by Aramark. For more information call 847-692-6415.

To contact the Fire Prevention Bureau

please call 847-823-1134 ext. 372 or email: HoltmanR@villageofrosemont.org